

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(US-20040260715-\$ or US-20020092004-\$ or US-20020059566-\$ or US-20050091185-\$ or US-20040250259-\$ or US-20040249823-\$ or US-20040093344-\$ or US-20050071805-\$ or US-20050044197-\$ or US-20030226109-\$ or US-20050005261-\$ or US-20030172084-\$).did. or (US-6996566-\$ or US-6874146-\$ or US-6550054-\$ or US-6381743-\$ or US-6253366-\$ or US-6999956-\$ or US-6826568-\$ or US-6922685-\$ or US-7124144-\$ or US-6836777-\$). did. or (US-20040143583-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/10/24 14:39
L2	9	1 and (UML and MOF) and (database repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:24
L3	2	"5758348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 16:27
L4	2	"6292932".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 16:27
S1	107	UML and XML and ((template EJB) same (API query)) and (convert\$4 transform\$4 translat\$4) and (model view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 10:13
S2	14	S1 and (XML same UML) and (metadata same (retriev\$4 server database repository stored reuse query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:41

EAST Search History

S3	180	"707"/\$ and ((XML ("extensible markup" with metadata)) same ((generat\$3 creat\$3 implement\$3) with (row column)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:32
S4	51	S3 and (UML and XML and (((GUI edit\$3 develop\$5 viewer graphical) near5 tool)) framework)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:36
S5	47	S3 and ((model specification) same XML) and (((GUI edit\$3 develop\$5 viewer graphical) near5 tool) framework)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:35
S6	492	((develop\$5 creat\$4 generat\$4) with database) same (using with XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:48
S7	170	S6 and ((UML same XML) and (((GUI edit\$3 develop\$5 viewer graphical) near5 tool)) framework)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:37
S8	7	S7 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:43
S9	0	((("M1" and "M2" and "M3") same metadata) and ((XML XSL) with (transform\$3 specification)) and ((row and column) same (database repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:45
S10	0	((("M2" and "M3") same metadata) and ((XML XSL) with (transform\$3 specification)) and ((row and column) same (database repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:45

EAST Search History

S11	0	((("M2") same metadata) and ((XML XSL) with (transform\$3 specification)) and ((row and column) same (database repository)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:45
S12	2	((UML) same metadata) and ((XML XSL) with (transform\$3 specification)) and ((row and column) same (database repository)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:39
S13	5	((UML) same metadata) and ((XML XSL) with (transform\$3 specif\$4 tree convert\$3 schema)) and ((row and column) same (database repository)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:49
S14	5	S12 or S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:56
S15	68	(S4 or S5) and (S3 or S7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:47
S16	41	((develop\$5 creat\$4 generat\$4) with (row column)) same (using with XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:38
S17	21	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:48
S18	0	S14 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:48

EAST Search History

S19	0	((UML) same metadata) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:49
S20	0	((model) same metadata) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:49
S21	1	((model) same metadata) and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:49
S22	1	Severin.in. and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 12:56
S23	5	(meta descriptor).ab. and XML and XSLT and UML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:23
S24	0	(metadescriptor).ab. and XML and XSL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:23
S25	0	(meta adj descriptor).ab. and XML and XSL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:24
S26	0	(type adj descriptor).ab. and XML and XSL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:24

EAST Search History

S27	0	((type meta\$5) same descriptor). ab. and XML and XSL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:24
S28	91	((type meta\$4) same descriptor) and XML and XSL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:25
S29	5	S28 and UML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:33
S30	4	(generat\$4 with (application near4 repository)).ab. and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:35
S31	20	(metadata and application and repository).ab. and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:36
S32	19	S31 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:36
S33	0	UML and AMDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:37
S34	24	UML same ((IDL MDL) and XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:38

EAST Search History

S35	1	S34 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:38
S36	0	S34 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:37
S37	1	(S3 or S6 or S16 or S28) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:41
S38	15	(S3 or S6 or S16 or S28) and (UML same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:49
S39	0	S32 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:37
S40	558	((develop\$5 creat\$4 generat\$4) with (repository database)) same (using with XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:39
S41	24	S40 and (S34 or S32 or S16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:39
S42	2	S41 and @rlad>="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:49

EAST Search History

S43	6	S41 not S42 and (XML same UML) and (metadata same (retriev\$4 server database repository stored reuse query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:45
S44	125	UML and MOF and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:36
S45	6	S40 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:45
S46	6	S43 or S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:45
S47	1	(S3 or S6 or S16 or S28) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:48
S48	48	S44 and (UML same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:39
S49	5	S48 and @rlad<="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 14:49
S50	43	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:35

EAST Search History

S51	2	"6502239".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:35
S52	113	S44 and (UML and XML and (((GUI edit\$3 develop\$5 viewer graphical) near5 tool))) framework)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:36
S53	30	UML and XML and XSL and (repository database same (metadata (model\$3 adj2 (file construct))) meta-information metafile metamodel)) and ((generat\$4 creat\$4 develop\$3) with (script "source code" application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:38
S54	12	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:49
S55	36	S52 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 15:50
S56	11	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:37
S57	0	(migration).ab. and UML and MOF and (metadata same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:38
S58	0	(migrat\$4).ab. and UML and MOF and (metadata same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:38

EAST Search History

S59	33	(migrat\$4 same database) and UML and MOF and (metadata same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:40
S60	1	S59 and (UML same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:39
S61	0	Unisys.as. and (migrat\$4) and UML and MOF and (XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:40
S62	17	(US-20050071805-\$ or US-20050005261-\$ or US-20030226109-\$ or US-20030172084-\$ or US-20040260715-\$ or US-20050091185-\$ or US-20040249823-\$ or US-20020092004-\$ or US-20020059566-\$ or US-20040250259-\$).did. or (US-7124144-\$ or US-6836777-\$ or US-6253366-\$ or US-6381743-\$ or US-6550054-\$ or US-6874146-\$). did. or (US-20040143583-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/10/23 16:40
S63	0	S62 and migrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:41
S64	0	(UML same XML) and migrat\$3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:41
S65	4	(UML same XML) and migrat\$3.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:42

EAST Search History

S66	11	(UML same XML) and (migrat\$3 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:43
S67	7	S66 not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:46
S68	33	UML and XML and MOF and migrat\$4 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:47
S69	32	S68 not (S65 or S66)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:47
S70	1	S69 not Bowman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:47
S71	22	(US-20050071805-\$ or US-20050005261-\$ or US-20030226109-\$ or US-20030172084-\$ or US-20040260715-\$ or US-20050091185-\$ or US-20040249823-\$ or US-20020092004-\$ or US-20020059566-\$ or US-20040250259-\$ or US-20050044197-\$ or US-20040093344-\$).did. or (US-7124144-\$ or US-6836777-\$ or US-6253366-\$ or US-6381743-\$ or US-6550054-\$ or US-6874146-\$ or US-6999956-\$ or US-6826568-\$ or US-6996566-\$).did. or (US-20040143583-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/10/23 16:49

EAST Search History

S72	10	S71 and MOF and XML and UML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:50
S73	1	S72 and (UML same XML) and template and ((script (source adj code)) near9 generat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:52
S74	7	S72 and (UML same XML) and MOF and ((application Java script (source adj code)) near9 generat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 16:54
S75	2	"6922685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 17:22
S76	4	S74 and (MOF same XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 17:23
S77	1	plum.in. and (phi same test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 10:26
S78	3	plum.in. and (test\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 11:10